

Message

From: Perkins, Erin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=B2E346DBD35A463AB95787E5D0D1BA97-PERKINS, ERIN]
Sent: 12/15/2021 3:35:17 PM
To: Fish, Tonya (she/her) [Fish.Tonya@epa.gov]
Subject: RE: North Dakota Mercury Water Quality criteria

thanks

From: Fish, Tonya (she/her) <Fish.Tonya@epa.gov>
Sent: Wednesday, December 15, 2021 8:34 AM
To: Perkins, Erin <Perkins.Erin@epa.gov>
Subject: RE: North Dakota Mercury Water Quality criteria

That was a hold for the Toxics workshop. HQ confirmed the times will be 9 am-1 pm those days, so could schedule outside that. I'll go update the hold now.

From: Perkins, Erin <Perkins.Erin@epa.gov>
Sent: Wednesday, December 15, 2021 7:38 AM
To: Fish, Tonya (she/her) <Fish.Tonya@epa.gov>
Subject: RE: North Dakota Mercury Water Quality criteria

Ex. 5 AC/DP

From: Fish, Tonya (she/her) <Fish.Tonya@epa.gov>
Sent: Wednesday, December 15, 2021 7:26 AM
To: Perkins, Erin <Perkins.Erin@epa.gov>
Subject: RE: North Dakota Mercury Water Quality criteria

Sounds good. I talked to Holly yesterday and I know she's already working on it.

From: Perkins, Erin <Perkins.Erin@epa.gov>
Sent: Wednesday, December 15, 2021 7:21 AM
To: Fish, Tonya (she/her) <Fish.Tonya@epa.gov>
Subject: FW: North Dakota Mercury Water Quality criteria

Hi –

Ex. 5 AC/AWP/DP

Thanks,
Erin

From: Perkins, Erin
Sent: Tuesday, December 14, 2021 10:35 AM
To: Bloom, Judy <Bloom.Judy@epa.gov>; Todd, Andrew <Todd.Andrew@epa.gov>; Wirick, Holiday <wirick.holiday@epa.gov>; Fish, Tonya (she/her) <Fish.Tonya@epa.gov>; Glazer, Thomas <glazer.thomas@epa.gov>;

Fleisig, Erica <Fleisig.Erica@epa.gov>; Sengco, Mario <Sengco.Mario@epa.gov>

Subject: FW: North Dakota Mercury Water Quality criteria

Hello –

Ex. 5 AC/AWP/DP

Erin

From: Volk, Everett <volk.everett@epa.gov>

Sent: Tuesday, December 14, 2021 10:26 AM

To: Perkins, Erin <Perkins.Erin@epa.gov>

Subject: FW: North Dakota Mercury Water Quality criteria

Ex. 5 Deliberative Process (DP)

Everett Volk (he/him/his)

Chief, Media Law Counseling Section

Office of Regional Counsel

U.S. EPA Region 8

303-312-7290

From: Schefski, Kenneth (KC) <Schefski.Kenneth@epa.gov>

Sent: Tuesday, December 14, 2021 10:23 AM

To: Joffe, Brian <Joffe.Brian@epa.gov>; Volk, Everett <volk.everett@epa.gov>

Cc: Sutin, Elyana <Sutin.Elyana@epa.gov>

Subject: FW: North Dakota Mercury Water Quality criteria

FYI

K.C. Schefski (he/him/his)

Regional Counsel

US EPA, Region 8

1595 Wynkoop Street

Denver, CO 80202

Work: 303.312.6843 | Cell: 303-549-5915 | Fax: 303-312-7202

This email is for the intended recipient only and may contain material that is privileged and/or confidential. If you believe you have received this email in error, please notify the sender. Thank you.

From: Rockeman, Karl H. <krockema@nd.gov>

Sent: Tuesday, December 14, 2021 10:05 AM

To: Becker, KC <Becker.KC@epa.gov>

Cc: Garcia, Bert <Garcia.Bert@epa.gov>; Thomas, Deb <thomas.debrah@epa.gov>; Olson, Margaret I. <maiolson@nd.gov>; Schefski, Kenneth (KC) <Schefski.Kenneth@epa.gov>


Subject: North Dakota Mercury Water Quality criteria

Please see the attached letter from Director Dave Glatt regarding the status of the review of North Dakota's mercury water quality criteria.

Thank you.

Karl Rockeman
Director
Division of Water Quality

701.328.5210 • KRockema@ND.gov



<https://deq.nd.gov/> • 4201 Normandy Street • Bismarck, ND 58503-1324